FORM 10-2 US			•		
			-		
INFO	RMATIO	N I JOR	T 1N. O	MAT	
			NTELLIGENCE AGE	7	
This materi 18, U.S.C.	al contains formation Secs. 793 at 794, th	tecting the National Defendent transmission of revelation	ense of the United States of	ithin the meaning or the to an unauthorized person	
	*	<b>S</b> :	ECRET		50X1
	T C				
COUNTRY	East Gern	-	REPORT		1000
SUBJECT	Infrared	tion of Electronic Devices in Ea	st Berlin		ary 1962
	212 PLE)	er of plt, infos	· ·		
			REFERE!	NCES RD	50X1
DATE OF INFO.					
PLACE & DATE ACQ.	JEWALLIA TED				
THIS IS UP	NEVALUATED INFO	DRMATION.			
			9. 7	eport on the	
	struction	of electronic		eport on the	con-
		of electronic	a r	eport on the	con-
	struction Berlin.	of electronic		eport on the	con-
		of electronic		eport on the	con-
		of electronic		eport on the	con-
		of electronic		eport on the	con-
		of electronic		eport on the	con-
		of electronic		eport on the	con-
		of electronic		eport on the	con-
No. Sag		of electronic		eport on the	con-
		of electronic		eport on the	con-
		of electronic		eport on the	con-
The same		of electronic		eport on the	con-
		of electronic		eport on the	con-
5		of electronic		eport on the	con-
5		of electronic		eport on the	con-
5	Berlin	n of electronic		eport on the	con-

Declassified in Part -	Sanitized Cony /	annound for Pologe	~ 2012/01/18 ·	CIA DIDONTA	124640617001	40001 1
Deciassified III Fait -	Samuzeu Copy A	approved for incleas	SE 2012/01/10.	CIA-INDF 60 100	7240A00170012	+000 1- 1

50X1-HUM

- 1. S.A.F. a medium size industry, is situated in East Berlin and engaged in the production of semiconductors. Besides regular transistors, the concern manufactures "tunnel" diodes STD 107, 8, 9 with a limited frequency of 750 megacycles.
- 2. Also in East Berlin, there is a small industry operated by Dr. B. Lange which constructs infrared sights; among these are selenium cadmium cells with a sensitive surface of 8mm<sup>2</sup> and a maximum sensitivity of about 750 nm.
- 3. The same industry as the above constructs controlled rectifier elements (a kind of solid thyratron) and solid triodes of four strata. These devices are used in either digital computers or for the automatic control of machine tools.
- 4. The establishment in question employs circa 200 persons, counting both technicians and workers, and is working at full capacity.

50X1-HUM

